MPC Highly flexible exhaust fan box/FLEXIBEL UTSUGSFLÄKT I BOX

EKB-Produkter AB

- Cubic, high flexible fan box for different applications
- Variable outlet and inlet configuration (on the right/left, axial)
- Easy to maintain via a large revision panel

	A Type	B Type	C Type	D Type	E Type	
	MPC 225 E2 20	**MPC 250 E2 20**	**MPC 280 E2 20**	**MPC 315 E2 20**	**MPC 400 E4 20**	MPCN
	126655	126656	126657	126634	126636	
	230V ~ 50 Hz 2,0 A	230V ~ 50 Hz 3,3 A	230V ~ 50 Hz 4,0 A	230V ~ 50 Hz 7,5 A	230V ~ 50 Hz 2,8 A	
	69/73/56 db(A) 279 W	73/77/65 db(A) 439 W	78/82/66 db(A) 675 W	85/87/70 db(A) 1171 W	73/77/55 db(A) 507 W	
	1780 m³/h 48 %	2610 m³/h 52 %	3380 m³/h 48 %	4360 m³/h 55 %	4240 m³/h 43 %	
	127639 37,5 kg	127639 40,5 kg	127639 43,0 kg	127639 69,5 kg	127639 64,0 kg	
	B 500 H 500 V	B 500 H 500 V	B 500 H 500 V	B 700 H 700 V	B 700 H 700 V	

	A	B	C	D	E	
5-Step Transformer	**TEM 035** 103502	**TEM 035** 103502	**TEM 050** 103519	**TEM 100** 103511	**TEM 035** 103502	MYSM
Step transformer	**TES 035** 103954	**TES 035** 103954	**TES 050** 103955	**TES 100** 103958	**TES 035** 103954	MYSO
5-Step Transformer	**TEM 035G** 111580	**TEM 035G** 111580	**TEM 050G** 109966	**TEM 100G** 109069	**TEM 035G** 111580	MYSG
Frequency converter						
Frequency converter						
Isolator Switch	**GS 01** 102787	**GS 01** 102787	**GS 01** 102787	**GS 01** 102787	**GS 01** 102787	MYSR
Rain Cover	**RD MPC 01** 122538	**RD MPC 01** 122538	**RD MPC 01** 122538	**RD MPC 02** 122544	**RD MPC 02** 122544	MYMRE
Base frame	**GR MPC 01** 123430	**GR MPC 01** 123430	**GR MPC 01** 123430	**GR MPC 02** 123432	**GR MPC 02** 123432	MYMPK
Weather protection hood	**WSH MPC 01** 123431	**WSH MPC 01** 123431	**WSH MPC 01** 123431	**WSH MPC 02** 123433	**WSH MPC 02** 123433	MYMPW
Panel with spigot	**US MPC 01** 107181	**US MPC 01** 107181	**US MPC 02** 107182	**US MPC 03** 107214	**US MPC 03** 107214	MYMPT
Transition	**UKR 3636 01** 136232	**UKR 3636 01** 136232	**UKR 3636 01** 136232			MYMKU
Transition	**UKR 3636 02** 136201	**UKR 3636 02** 136201	**UKR 3636 02** 136201			MYMKU

MPC Highly flexible exhaust fan box/FLEXIBEL UTSUGSFLÄKT I BOX

	F Type	G Type		H Type	I Type
MPCN	**MPC 450 E4 20** 126637	**MPC 500 E4 20** 126638		**MPC 560 D4** 122302	**MPC 630 D4** 123147
	230V ~ 50 Hz 4,4 A 80/81/60 db(A) 767 W 5347 m³/h 44 % 127639 72,0 kg B 700 H 700 V	230V ~ 50 Hz 7,9 A 81/83/68 db(A) 1323 W 8590 m³/h 50 % 127639 113,5 kg B 900 H 900 V		400V 3~ 50 Hz 5,0 A 83/85/66 db(A) 2390 W 12180 m³/h 58 % 122307 115,0 kg B 900 H 900 f	400V 3~ 50 Hz 7,7 A 87/89/73 db(A) 4077 W 15750 m³/h 54 % 122307 137,5 kg B 900 H 900 f

- Cubic, high flexible fan box for different applications
- Variable outlet and inlet configuration (on the right/left, axial)
- Easy to maintain via a large revision panel

MYSM	**TEM 050** 103519	**TEM 100** 103511				5-Step Transformer
MYSO	**TES 050** 103955	**TES 100** 103958				Step transformer
MYSG	**TEM 050G** 109966	**TEM 100G** 109069				5-Step Transformer
MYSF				**FU 22 03** 118511	**FU 40 04** 121608	Frequency converter
MYSF				**FU 22 05** 124682	**FU 40 03** 121607	Frequency converter
MYSR	**GS 01** 102787	**GS 01** 102787		**GS 03** 107633	**GS 03** 107633	Isolator Switch
MYMRE	**RD MPC 02** 122544	**RD MPC 03** 122551		**RD MPC 03** 122551	**RD MPC 03** 122551	Rain Cover
MYMPK	**GR MPC 02** 123432	**GR MPC 03** 123434		**GR MPC 03** 123434	**GR MPC 03** 123434	Base frame
MYMPW	**WSH MPC 02** 123433	**WSH MPC 03** 123435		**WSH MPC 03** 123435	**WSH MPC 03** 123435	Weather protection hood
MYMPT	**US MPC 04** 107240					Panel with spigot

EKB-Produkter AB Sweden Ph +46 43522630 www.ekb.se ekb@ekb.se

MPC ... EC Highly flexible exhaust fan box, with EC motor/**FLEXIBEL UTSUGSFLÄKT I BOX med EC-Motor**

- Cubic, high flexible fan box for different applications
- Variable outlet and inlet configuration (on the right/left, axial)
- Easy to maintain via a large revision panel

	A Type	B Type		C Type	D Type	
	MPC 225 EC 20	**MPC 250 EC 20**		**MPC 280 EC 20**	**MPC 400 EC 20**	
	133158	133159		133160	133161	
	230V ~ 50 Hz 1,0 A	230V ~ 50 Hz 1,8 A		230V ~ 50 Hz 1,9 A	230V ~ 50 Hz 2,4 A	
	67/69/51 db(A) 116 W	77/79/65 db(A) 207 W		76/78/69 db(A) 270 W	73/76/55 db(A) 529 W	
	1030 m³/h 45 %	1520 m³/h 51 %		2030 m³/h 51 %	5680 m³/h 57 %	
	132082 27,7 kg	132082 28,9 kg		132082 29,1 kg	132082 62,0 kg	MPCNEC
	B 500 H 500 0-10V	B 500 H 500 0-10V		B 500 H 500 0-10V	B 700 H 700 0-10V	

Potentiometer	**MTP 20** 128146	**MTP 20** 128146		**MTP 20** 128146	**MTP 20** 128146	MYSE
Constant pressure control	**CON P1000** 115259	**CON P1000** 115259		**CON P1000** 115259	**CON P1000** 115259	MYSC
Klimaset	**CLIMASET 01** 111314	**CLIMASET 01** 111314		**CLIMASET 01** 111314	**CLIMASET 01** 111314	MYSC
Sensor	**SEN CO2** 126586	**SEN CO2** 126586		**SEN CO2** 126586	**SEN CO2** 126586	MYSH
Isolator Switch	**GS 03** 107633	**GS 03** 107633		**GS 03** 107633	**GS 03** 107633	MYSR
Rain Cover	**RD MPC 01** 122538	**RD MPC 01** 122538		**RD MPC 01** 122538	**RD MPC 02** 122544	MYMRE
Base frame	**GR MPC 01** 123430	**GR MPC 01** 123430		**GR MPC 01** 123430	**GR MPC 02** 123432	MYMPK
Weather protection hood	**WSH MPC 01** 123431	**WSH MPC 01** 123431		**WSH MPC 01** 123431	**WSH MPC 02** 123433	MYMPW
Panel with spigot	**US MPC 01** 107181	**US MPC 02** 107182		**US MPC 02** 107182	**US MPC 04** 107240	MYMPT
Transition	**UKR 3636 01** 136232	**UKR 3636 01** 136232		**UKR 3636 01** 136232		MYMKU
Transition	**UKR 3636 02** 136201	**UKR 3636 02** 136201		**UKR 3636 02** 136201		MYMKU

	E Type	F Type		G Type	H Type
MPCNEC	**MPC 450 EC 20** 133162	**MPC 500 EC 20** 133163		**MPC 560 EC 20** 133164	**MPC 630 EC 20** 133165
	230V ~ 50 Hz 2,4 A 71/75/54 db(A) 527 W 6270 m³/h 55 % 132082 65,0 kg B 700 H 700 0-10V	400V 3~ 50 Hz 2,0 A 77/81/58 db(A) 1319 W 10190 m³/h 61 % 132083 113,5 kg B 900 H 900 0-10V		400V 3~ 50 Hz 3,6 A 84/86/63 db(A) 2355 W 13180 m³/h 62 % 132083 122,6 kg B 900 H 900 0-10V	400V 3~ 50 Hz 4,2 A 86/87/66 db(A) 2714 W 16300 m³/h 59 % 132083 127,1 kg B 900 H 900 0-10V

- Cubic, high flexible fan box for different applications
- Variable outlet and inlet configuration (on the right/left, axial)
- Easy to maintain via a large revision panel

MYSE	**MTP 20** 128146	**MTP 20** 128146		**MTP 20** 128146	**MTP 20** 128146	Potentiometer
MYSC	**CON P1000** 115259	**CON P1000** 115259		**CON P1000** 115259	**CON P1000** 115259	Constant pressure control
MYSC	**CLIMASET 01** 111314	**CLIMASET 01** 111314		**CLIMASET 01** 111314	**CLIMASET 01** 111314	Klimaset
MYSH	**SEN CO2** 126586	**SEN CO2** 126586		**SEN CO2** 126586	**SEN CO2** 126586	Sensor
MYSR	**GS 03** 107633	**GS 03** 107633		**GS 03** 107633	**GS 03** 107633	Isolator Switch
MYMRE	**RD MPC 02** 122544	**RD MPC 03** 122551		**RD MPC 03** 122551	**RD MPC 03** 122551	Rain Cover
MYMPK	**GR MPC 02** 123432	**GR MPC 03** 123434		**GR MPC 03** 123434	**GR MPC 03** 123434	Base frame
MYMPW	**WSH MPC 02** 123433	**WSH MPC 03** 123435		**WSH MPC 03** 123435	**WSH MPC 03** 123435	Weather protection hood
MYMPT	**US MPC 04** 107240					Panel with spigot

EKB-Produkter AB Sweden Ph +46 43522630 www.ekb.se ekb@ekb.se

MPC ... T The cubic fan box for kitchen exhaust air / **BOXFLÄKT FÖR KÖK med motor separerad från luftflödet**

EKB-Produkter AB

- Cubic, high flexible fan box for different applications
- Motors according to VDI 2052 outside medium air flow
- Variable outlet and inlet configuration (on the right/left/top)

	A Type	B Type	C Type	D Type	E Type	
	MPC 225 E2 T20	**MPC 250 E2 T20**	**MPC 280 E2 T20**	**MPC 315 E2 T20**	**MPC 400 E4 T20**	MPCNT
	126609	126679	126681	126621	126623	
	230V ~ 50 Hz 1,9 A	230V ~ 50 Hz 3,4 A	230V ~ 50 Hz 4,1 A	230V ~ 50 Hz 7,4 A	230V ~ 50 Hz 2,8 A	
	71/75/67 db(A) 266 W	77/79/73 db(A) 454 W	80/82/75 db(A) 703 W	83/87/75 db(A) 1203 W	73/75/64 db(A) 501 W	
	1730 m³/h 45 %	2610 m³/h 51 %	3340 m³/h 47 %	4250 m³/h 47 %	4340 m³/h 44 %	
	127819 41,0 kg	127819 44,0 kg	127819 46,0 kg	127819 46,5 kg	127819 65,0 kg	
	B 500 H 500 V	B 500 H 500 V	B 500 H 500 V	B 500 H 500 V	B 700 H 700 V	
5-Step Transformer	**TEM 035** 103502	**TEM 035** 103502	**TEM 050** 103519	**TEM 100** 103511	**TEM 035** 103502	MYSM
Step transformer	**TES 035** 103954	**TES 035** 103954	**TES 050** 103955	**TES 100** 103958	**TES 035** 103954	MYSO
5-Step Transformer	**TEM 035G** 111580	**TEM 035G** 111580	**TEM 050G** 109966	**TEM 100G** 109069	**TEM 035G** 111580	MYSG
Frequency converter						
Frequency converter						
Isolator Switch	**GS 01** 102787	**GS 01** 102787	**GS 01** 102787	**GS 01** 102787	**GS 01** 102787	MYSR
Rain Cover	**RD MPC 01** 122538	**RD MPC 01** 122538	**RD MPC 01** 122538	**RD MPC 01** 122538	**RD MPC 02** 122544	MYMRE
Base frame	**GR MPC 01** 123430	**GR MPC 01** 123430	**GR MPC 01** 123430	**GR MPC 01** 123430	**GR MPC 02** 123432	MYMPK
Weather protection hood	**WSH MPC 01** 123431	**WSH MPC 01** 123431	**WSH MPC 01** 123431	**WSH MPC 01** 123431	**WSH MPC 02** 123433	MYMPW
Panel with spigot	**US MPC 01** 107181	**US MPC 02** 107182	**US MPC 02** 107182	**US MPC 02** 107182	**US MPC 04** 107240	MYMPT
Motor protection shield	**MB MPC 01** 116411	**MB MPC 01** 116411	**MB MPC 01** 116411	**MB MPC 01** 116411	**MB MPC 02** 116410	MYMPM
Transition	**UKR 3636 01** 136232	**UKR 3636 01** 136232	**UKR 3636 01** 136232	**UKR 3636 01** 136232		MYMKU
Transition	**UKR 3636 02** 136201	**UKR 3636 02** 136201	**UKR 3636 02** 136201	**UKR 3636 02** 136201		MYMKU

EKB-Produkter AB

	F Type	G Type		H Type	I Type
MPCNT	**MPC 450 E4 T20** 126624	**MPC 500 E4 T20** 126625		**MPC 560 D4 TW3** 125312	**MPC 630 D4 TW3** 125314
	230V ~ 50 Hz 4,5 A 76/79/70 db(A) 793 W 5960 m³/h 48 % 127819 73,0 kg B 700 H 700 V	230V ~ 50 Hz 7,5 A 81/85/78 db(A) 1312 W 8600 m³/h 50 % 127819 120,9 kg B 900 H 900 V		400V 3~ 50 Hz 5,0 A 83/85/78 db(A) 2390 W 12180 m³/h 58 % 130083 119,0 kg B 900 H 900 f	400V 3~ 50 Hz 7,7 A 87/89/80 db(A) 4077 W 15750 m³/h 54 % 130083 128,0 kg B 900 H 900 f

- Cubic, high flexible fan box for different applications
- Motors according to VDI 2052 outside medium air flow
- Variable outlet and inlet configuration (on the right/left/top)

MYSM	**TEM 050** 103519	**TEM 100** 103511				5-Step Transformer
MYSO	**TES 050** 103955	**TES 100** 103958				Step transformer
MYSG	**TEM 050G** 109966	**TEM 100G** 109069				5-Step Transformer
MYSF				**FU 22 03** 118511	**FU 40 04** 121608	Frequency converter
MYSF				**FU 22 05** 124682	**FU 40 03** 121607	Frequency converter
MYSR	**GS 01** 102787	**GS 01** 102787		**GS 03** 107633	**GS 03** 107633	Isolator Switch
MYMRE	**RD MPC 02** 122544	**RD MPC 03** 122551		**RD MPC 03** 122551	**RD MPC 03** 122551	Rain Cover
MYMPK	**GR MPC 02** 123432	**GR MPC 03** 123434		**GR MPC 03** 123434	**GR MPC 03** 123434	Base frame
MYMPW	**WSH MPC 02** 123433	**WSH MPC 03** 123435		**WSH MPC 03** 123435	**WSH MPC 03** 123435	Weather protection hood
MYMPT	**US MPC 04** 107240					Panel with spigot
MYMPM	**MB MPC 02** 116410	**MB MPC 03** 122305		**MB MPC 03** 122305	**MB MPC 03** 122305	Motor protection shield

EKB-Produkter AB Sweden Ph +46 43522630 www.ekb.se ekb@ekb.se

MPC ... EC T

The cubic fan box for kitchen exhaust air, with EC motor / BOXFLÄKT FÖR KÖK med EC-Motor separerad från luftflödet

EKB-Produkter AB

- Cubic, high flexible fan box for different applications
- Motors according to VDI 2052 outside medium air flow
- Variable outlet and inlet configuration (on the right/left/top)

A Type		B Type		MPCNTEC
MPC 280 EC T20		**MPC 400 EC T20**		
136057		136076		
230V ~ 50 Hz	5,2 A	230V ~ 50 Hz	6,0 A	
87/89/77 db(A)	1129 W	82/85/73 db(A)	1311 W	
3730 m³/h	52 %	6710 m³/h	58 %	
136832	37,7 kg	136584	68,0 kg	
B 500 H 500	0-10V	B 700 H 700	0-10V	

Potentiometer	**MTP 20** 128146	**MTP 20** 128146	MYSE
Constant pressure control	**CON P1000** 115259	**CON P1000** 115259	MYSC
Klimaset	**CLIMASET 01** 111314	**CLIMASET 01** 111314	MYSC
Isolator Switch	**GS 03** 107633	**GS 03** 107633	MYSR
Rain Cover	**RD MPC 01** 122538	**RD MPC 02** 122544	MYMRE
Base frame	**GR MPC 01** 123430	**GR MPC 02** 123432	MYMPK
Weather protection hood	**WSH MPC 01** 123431	**WSH MPC 02** 123433	MYMPW
Panel with spigot	**US MPC 02** 107182	**US MPC 04** 107240	MYMPT
Transition	**UKR 3636 01** 136232		MYMKU
Transition	**UKR 3636 02** 136201		MYMKU

MPX The economic kitchen exhaust fan / **Prisvärd! UTSUGSFLÄKT FÖR KÖK +80°C**

EKB-Produkter AB

- Suitable for medium temperatures up to 80 ºC
- Motors according to VDI 2052 outside medium air flow

	A Type	B Type		C Type		
	MPX 225 E2	**MPX 280 E2**		**MPX 315 E2**		MPX
	127821	127822		127823		
	230V ~ 50 Hz 1,9 A	230V ~ 50 Hz 4,1 A		230V ~ 50 Hz 7,6 A		
	73/74/66 db(A) 269 W	81/84/72 db(A) 703 W		85/86/77 db(A) 1189 W		
	1500 m³/h 43 %	3260 m³/h 54 %		4390 m³/h 57 %		
	127639 17,1 kg	127639 26,2 kg		127639 35,5 kg		
	B 461 H 468 V	B 591 H 582 V		B 699 H 697 V		

5-Step Transformer	**TEM 035** 103502	**TEM 050** 103519		**TEM 100** 103511		MYSM
Step transformer	**TES 035** 103954	**TES 050** 103955		**TES 100** 103958		MYSO
5-Step Transformer	**TEM 035G** 111580	**TEM 050G** 109966		**TEM 100G** 109069		MYSG
Isolator Switch	**GS 01** 102787	**GS 01** 102787		**GS 01** 102787		MYSR
Fast clamps	**VM 200** 102650	**VM 315** 102652		**VM 355** 102653		MYMRV
Motor protection shield	**WSH MPS** 103661	**WSH MPS** 103661		**WSH MPS** 103661		MYMPW
Wall bracket	**WK MPS 07** 127953	**WK MPS 07** 127953		**WK MPS 07** 127953		MYMPK

	A Type	B Type		C Type	
MPSEC	**MPS 280 EC 20** 136074	**MPS 315 EC 20** 130483		**MPS 400 EC 20** 130484	
	230V ~ 50 Hz 5,7 A	230V ~ 50 Hz 6,3 A		230V ~ 50 Hz 6,1 A	
	88/88/77 db(A) 1246 W	85/85/74 db(A) 1385 W		81/83/74 db(A) 1342 W	
	4090 m³/h 62 %	4885 m³/h 62 %		6245 m³/h 65 %	
	136832 38,1 kg	136831 49,0 kg		136584 64,0 kg	
	B 592 H 522 0-10V	B 700 H 624 0-10V		B 832 H 751 0-10V	

- Optimum serviceability by a swing out fan unit.
- Suitable for medium temperatures up to 120 ºC
- Variable outlet and inlet configuration (on the right/left/top)
- Serial grease pan with condensate drain (3/4")

MYSE	**MTP 20** 128146	**MTP 20** 128146		**MTP 20** 128146	Potentiometer
MYSC	**CON P1000** 115259	**CON P1000** 115259		**CON P1000** 115259	Constant pressure control
MYSC	**CLIMASET 01** 111314	**CLIMASET 01** 111314		**CLIMASET 01** 111314	Klimaset
MYSR	**GS 03** 107633	**GS 03** 107633		**GS 03** 107633	Isolator Switch
MYMPW	**WSH MPS EC 01** 136117	**WSH MPS EC 02** 135999		**WSH MPS EC 03** 136001	Weather protection hood
MYMRV	**VM 315** 102652	**VM 355** 102653		**VM 355** 102653	Fast clamps
MYMPK	**WK MPS 07** 127953	**WK MPS 07** 127953		**WK MPS 07** 127953	Wall bracket
MYMRR	**RSK 315** 102664	**RSK 355** 102665		**RSK 355** 102665	Back Draught Shutter
MYMRR	**RSK 315D** 113489	**RSK 355D** 113491		**RSK 355D** 113491	Back Draught Shutter with seal

MPS The professional solution for kitchen exhaust air / **BOXFLÄKT FÖR KÖK +120°C**

EKB-Produkter AB

- Optimum serviceability by a swing out fan unit.
- Suitable for medium temperatures up to 120 ºC
- Variable outlet and inlet configuration (on the right/left/top)
- Serial grease pan with condensate drain (3/4")

	A Type	B Type		C Type	D Type	
	MPS 225 E2 20	**MPS 250 E2 20**		**MPS 280 E2 20**	**MPS 315 E2 20**	MPSS
	126645	126646		126647	126649	
	230V ~ 50 Hz 1,8 A	230V ~ 50 Hz 3,3 A		230V ~ 50 Hz 4,1 A	230V ~ 50 Hz 7,8 A	
	73/74/67 db(A) 259 W	78/78/71 db(A) 448 W		80/83/74 db(A) 722 W	84/86/76 db(A) 1200 W	
	1650 m³/h 49 %	2490 m³/h 56 %		3400 m³/h 53 %	4510 m³/h 56 %	
	127639 33,0 kg	127639 46,8 kg		127639 47,5 kg	127639 56,0 kg	
	B 492 H 571 V	B 592 H 690 V		B 592 H 692 V	B 700 H 790 V	

5-Step Transformer	**TEM 035** 103502	**TEM 035** 103502		**TEM 050** 103519	**TEM 100** 103511	MYSM
Step transformer	**TES 035** 103954	**TES 035** 103954		**TES 050** 103955	**TES 100** 103958	MYSO
5-Step Transformer	**TEM 035G** 111580	**TEM 035G** 111580		**TEM 050G** 109966	**TEM 100G** 109069	MYSG
Frequency converter						
Frequency converter						
Isolator Switch	**GS 01** 102787	**GS 01** 102787		**GS 01** 102787	**GS 01** 102787	MYSR
Fast clamps	**VM 200** 102650	**VM 250** 102651		**VM 315** 102652	**VM 355** 102653	MYMRV
Back Draught Shutter	**RSK 200** 102662	**RSK 250** 102686		**RSK 315** 102664	**RSK 355** 102665	MYMRR
Back Draught Shutter with seal	**RSK 200D** 113487	**RSK 250D** 113488		**RSK 315D** 113489	**RSK 355D** 113491	MYMRR
Motor protection shield	**WSH MPS** 103661	**WSH MPS** 103661		**WSH MPS** 103661	**WSH MPS** 103661	MYMPW
Wall bracket	**WK MPS 07** 127953	**WK MPS 07** 127953		**WK MPS 07** 127953	**WK MPS 07** 127953	MYMPK

EKB-Produkter AB

	E Type	F Type		G Type	H Type
MPSS	**MPS 400 E4 20** 126651	**MPS 450 E4 20** 126652		**MPS 500 E4 20** 126653	**MPS 560 D4 10** 128363
	230V ~ 50 Hz 2,9 A 70/70/60 db(A) 525 W 4360 m³/h 54 % 127639 61,0 kg B 832 H 916 V	230V ~ 50 Hz 4,7 A 75/76/66 db(A) 849 W 5780 m³/h 53 % 127639 67,0 kg B 832 H 916 V		230V ~ 50 Hz 7,7 A 79/78/72 db(A) 1337 W 7740 m³/h 49 % 127639 105,6 kg B 1016 H 1092 V	400V 3~ 50 Hz 4,4 A 83/84/73 db(A) 2149 W 9310 m³/h 52 % 122307 100,0 kg B 832 H 916 f

- Optimum serviceability by a swing out fan unit.
- Suitable for medium temperatures up to 120 ºC
- Variable outlet and inlet configuration (on the right/left/top)
- Serial grease pan with condensate drain (3/4")

MYSM	**TEM 035** 103502	**TEM 050** 103519		**TEM 100** 103511		5-Step Transformer
MYSO	**TES 035** 103954	**TES 050** 103955		**TES 100** 103958		Step transformer
MYSG	**TEM 035G** 111580	**TEM 050G** 109966		**TEM 100G** 109069		5-Step Transformer
MYSF					**FU 22 03** 118511	Frequency converter
MYSF					**FU 22 05** 124682	Frequency converter
MYSR	**GS 01** 102787	**GS 01** 102787		**GS 01** 102787	**GS 01** 102787	Isolator Switch
MYMRV	**VM 355** 102653	**VM 355** 102653		**VM 400** 102654	**VM 400** 102654	Fast clamps
MYMRR	**RSK 355** 102665	**RSK 355** 102665		**RSK 400** 102691		Back Draught Shutter
MYMRR	**RSK 355D** 113491	**RSK 355D** 113491		**RSK 400D** 113490		Back Draught Shutter with seal
MYMPW	**WSH MPS** 103661	**WSH MPS** 103661		**WSH MPS** 103661	**WSH MPS** 103661	Motor protection shield
MYMPK	**WK MPS 07** 127953	**WK MPS 07** 127953		**WK MPS 08** 128095	**WK MPS 08** 128095	Wall bracket

EKB-Produkter AB Sweden Ph +46 43522630 www.ekb.se ekb@ekb.se